

FLOOR PLAN

TYPE	SHEATHING	EDGE NAILING	FIELD NAILING	PLATE NAILING	BLOCK EDGES	3x STUDS AT PANEL EDGES
(a) DRYWALL	5/8" GWB	.092 x 1-7/8 SCREWS @ 7"	16d @ 8"	16d @ 8"	YES	NO
(b) DOUBLE DRYWALL	5/8" GWB	.092 x 1-7/8 SCREWS @ 7"	16d @ 8"	16d @ 8"	YES	NO

BEARING WALL SCHEDULE

TYPE	20 FOOT BEAM SPANS	25 FOOT BEAM SPANS
C	5-2X6 GLUED AND NAILLED 16" O.C.	5-2X6 GLUED AND NAILLED 16" O.C.
D	5-2X6 GLUED AND NAILLED 16" O.C.	5-2X6 GLUED AND NAILLED 16" O.C.

INTERIOR POST ASSEMBLY SCHEDULE

TYPE	SHEATHING	EDGE NAILING	FIELD NAILING	PLATE NAILING	BLOCK EDGES	3x STUDS AT PANEL EDGES	A351 PT4 SPACING	CAPACITY P.F.
(1) PLYWOOD	7/16" APA	8d @ 6"	8d @ 12"	16d @ 6"	YES	NO	48" O.C.	230
(2) DRYWALL	5/8" GWB	.092 x 1-7/8 SCREWS @ 7"	16d @ 8"	16d @ 8"	YES	NO	NONE	143
(3) DOUBLE DRYWALL	5/8" GWB	.092 x 1-7/8 SCREWS @ 7"	16d @ 8"	16d @ 8"	YES	NO	NONE	290


DIAPHRAGM AND SHEARWALL SCHEDULE

NOTES

1. NAILS SHALL BE COMMON OR HOT DIPPED GALVANIZED BOX. STAGGER NAILING AT PLYWOOD JOINTS AND SILL PLATES.
2. HOLD-DOWNS REQUIRE DOUBLE STUD U/L.N.
3. SHEARWALL 2X4 STUDS @ 24" O.C.
4. FIREWALL DETAILS A6 & A8

NOTES

1. BEARING WALLS: 2x6 STUDS 24" O.C.
- W/DOUBLE 2x6 @ TRUSS.



ROOF FRAMING

REFER TO TRUSS MANUFACTURER PACKAGE FOR TRUSS DETAILS

NW CUSTOM AIRCRAFT HANGARS LLC

JARROT ENGINEERING, LLC
MONROE, LA 70502

DATE: 11/26/18

Page 2 of 10

FLOOR PLAN/ROOF PLAN

SHEET A2